

SEARO PACKAGING CO., LTD

PROFESSIONAL POLYESTER(PET) STRAPPING MANUFACTURER & EXPORTER





Company profile

SEARO PACKAGING is the leading company in the field of manufacturing polyester (PET) strap in Taiwan. We have experiences of over a decade and are proud to provide excellent and stable quality PET strap. Our PET strap occupy 70% of Taiwanese market share and have been exported to America, Mexico, Australia, South Africa, Italy, countries in Middle East and Southern East Asia, etc.

As a reliable manufacturer and supplier, SEARO PACKAGING insists the management concepts as follow:

Systematic Quality Control:

We test every PET strap roll in terms of width, thickness, tensile strength, elongation, flatness, straightness, and splitting. With the strict quality control, customers will trust us and will be satisfied with our products.

Professional Technician Team:

Our professional engineers and technicians would provide custom made and OEM service.

Automated Production Line:

The entire production process is automated control. And also we have high-tech and innovative production technology. These mean that we can reduce our labor cost which makes us more competitive in price.

Made in Taiwan:

It is our greatest honor as Taiwanese to declare that our PET strap is “Made in Taiwan”.

SEARO PACKAGING upholds the principles of honesty, sincerity, and down to earth. We believe that only by insisting on these principles can a corporation survive in the long run.

Mesmerizing in designs, we have for our clients high grade





What & Why Polyester(PET) strap

PET Strapping, also called Polyester strapping, processed by using environmental protection "Polythene Terephthalate" as raw material. Instead of steel strap, it can save about 50% cost comparing steel strapping. PET strapping have been used in various industries like Aluminum ingot, Glass, Ceramic, Ply wood, Construction material like stone, marble and brick, Paper, Cotton baling, Fiber baling, Clothes bailing, Steel plate, Steel pipe etc.

Benefit of PET strap:

Convenience: Light in weight, which is easy to carry.

Appearance: It reduces indentation at unprotected package corners.

Preservation: Do not rust and stain products when exposed to the elements.

Environmental protection: It's recyclable, which reduces packaging waste and disposal cost.

Safety: It's safer to use than steel strap. It doesn't have sharp edges and eliminate backlash.

Our strap is suitable for all machines including CMR, Columbia, Cyklop, Delonca, Endra, Fromm, Itatools, Itipack, Mosca, OMS, Orgapack, Reisopack, Sander, Signode, SMB, SOB, Strapack, Strapex, Titan, Transpak and many others manufacturers.



SEARO specs sheet of PET strap



PET STRAP SPECIFICATION



Product Code	Width		Thickness		Break Strength		Elongation (%)	Width Range (MM)	Thickness Range (MM)	Coils per pallet (20' /40' HQ)
	(mm)	(Inch)	(mm)	(Inch)	(N)	Ibf				
SE 09060	9.5	3/8"	0.60	.024	2150	483	10-15	9.3-9.7	0.58-0.63	56/60
SE 12060	12.5	1/2"	0.60	.024	2940	661	10-15	12.2-12.6	0.58-0.73	56/60
SE 13070H	12.5	1/2"	0.70	.027	3400	764	10-15	12.2-12.6	0.68-0.63	56/60
SE 13070A	12.1	1/2"	0.70	.027	3200	719	10-15	11.9-12.3	0.78-0.82	56/60
SE 16060H	15.5	5/8"	0.60	.024	4000	899	10-15	15.3-15.8	0.58-0.63	56/60
SE 16060A	15.1	5/8"	0.60	.024	3750	843	10-15	14.9-15.4	0.59-0.63	56/60
SE 1606FA	15.1	5/8"	0.60	.024	3600	809	10-15	14.9-15.4	0.59-0.63	56/60
SE 16070H	15.5	5/8"	0.70	.027	4500	1012	10-15	15.3-15.8	0.68-0.73	56/60
SE 16070A	15.1	5/8"	0.70	.027	4250	955	10-15	14.8-15.3	0.68-0.73	56/60
SE 16080H	15.5	5/8"	0.80	.03	4800	1079	10-15	15.3-15.9	0.78-0.83	56/60
SE 16080A	15.1	5/8"	0.80	.03	4550	1023	10-15	14.9-15.4	0.78-0.83	56/60
SE 16090H	15.5	5/8"	0.90	.035	5200	1169	10-15	15.3-15.9	0.88-0.93	56/60
SE 16090A	15.1	5/8"	0.90	.035	5000	1124	10-15	14.9-15.4	0.89-0.93	56/60
SE 16100A	15.1	5/8"	1.00	.04	5500	1236	10-15	14.8-15.3	0.98-1.03	56/60
SE 19080H	18.5	3/4"	0.80	.03	6300	1416	10-15	18.3-18.8	0.78-0.83	56/60
SE 19080A	18.1	3/4"	0.80	.03	6000	1349	10-15	17.8-18.3	0.78-0.83	56/60
SE 19100H	18.5	3/4"	1.00	.04	7100	1596	10-15	18.3-18.8	0.98-1.03	56/60
SE 19100A	18.1	3/4"	1.00	.04	6700	1506	10-15	17.9-18.4	0.99-1.03	56/60
SE 25100H	24.5	1"	1.00	.04	8800	1978	10-15	24.2-24.8	0.97-1.02	56/60

Other Important Data

Tolerance:	Width +/-0.3mm Thickness +/-0.03mm	Core Size:	200mm×152mm (8"×6") & 406mm×152mm ((16"×6")
Embossed Surface:	Initial F after type number, Thickness increase 0.05-0.07mm	Nett weight limit per roll:	Nett wt 35kg (any weight within this limit)
Elongation:	10%-15%	Pallet Weight:	About16.5kg
Color:	Green only (other colors have to be discussed further)	Pallet Size:	114cm×114cm
※ "A" means strap for automatic machine; "H" means strap for Manual Tool; "F" means Embossed Surface			




Packing & Shipping



Container: 40'HQ
Pallet : N.20
Roll Of Each Pallet : 60rolls
Net Weight Of Each coil: 18.5kg
Total Weight : 22200kg

Container: 20'
Pallet : N.10
Roll Of Each Pallet : 56rolls
Net Weight Of Each coil: 18.5kg
Total Weight : 10360kg





WE PACK FUTURE



SEARO PACKAGING CO., LTD

NO. 353, TAI-AN RD., MEINONG DIST, KAOHSIUNG CITY 843, TAIWAN

TEL: +886-7-6812225 FAX: +886-7-6812220

SKYPE: searopack

<https://searopack.en.taiwantrade.com/>

<https://www.facebook.com/searopack>

Email:sales@searo.com.tw